vicky/grem

RHEIN83 CODE LIST

FIXED PROSTHESIS OT BRIDGE	
OT Equator abutment, Cuff height measurer, KIT 42, Titanium abutments	Pag. 3
Castable abutments, Titanium abutments with lateral holes, Titanium abutment for endoral welding	Pag. 4
Healing abutments, Impression copings	Pag. 4
Laboratory analogs, Scan Abutment, Screws, OT Equator screwing tools	Pag. 5
Screwing tools, Universal handle, Seeger inserter, T-Bar Components and accessories	Pag. 6
Spare parts, Gingival connectors, Seeger seat cleaning cutter, Ot Cem	Pag. 7
REMOVABLE PROSTHESIS ———————————————————————————————————	
OT Equator for implants, OT Equator for bars, Ot Equator caps kit, OT Equator castable	Pag. 8
Spare parts OT Equator	Pag. 9
OT Equator transfer and analogs, OT Equator tools and accessories	Pag. 10
Single threaded spheres, Spare parts for single threaded spheres	Pag. 11
Sphero block and Sphero flex pfor implants, Cuff height measurer	Pag. 12
Tools Sphero flex and Sphero block, Anti-unscrewing system	Pag. 13
Laboratory set	Pag. 14
Basic laboratory set	Pag. 15
OT Cap/OT Box attachments, OT Box large attachments, OT Strategy attachments, OT Bar attachments	Pag. 16
OT Vertical attachments, OT Unilateral attachments, OT Cap Tecno attachments, OT Lock attachments	Pag. 17
Pivots set for clinic, Ot Equator pivots set	Pag. 18
Pivot OT Equator caps set, Pivot Block / Flex	Pag. 19
Spare parts OT Cap normal	Pag. 20
Spare parts OT Cap micro	Pag. 21
OT Cap assortment sets	Pag. 22
Tools and accessories OT Cap normal/micro	Pag. 23
OT Strategy spare parts	Pag. 24-25
OT Bar multiuse spare parts	Pag. 25
OT Vertical spare parts, OT Reverse spare parts	Pag. 26
OT Lock spare parts, Sphere repair sets	Pag. 27
OT Lever, Small parallelometer, Denture boxes	Pag. 28
OT Cem, Broken screw extractor kit	Pag. 29
Rhein83: The training	Pag. 30
Rhein83 direct services	Pag. 31

## OT EOUATOR ABUTMENT



**Ref. 030** 

• 1 OT EQUATOR TITANIUM ABUTMENT WITH TIN COATING

## **CUFF HEIGHT MEASURER**



Ref. 008MBG

#### **SET CONTENT**

- CUFF HEIGHT SLIDER GAUGE CUFF HEIGHT FIXED ROD GAUGE
- SILICON RING DISPENSER
- SILICON RINGS

## **SET 42**



Ref. BE42 + n° 42 OT Equator (Ref. 030 to be chosen) ASSORTMENT SET (autoclavable) + 42 OT EQUATOR +TIN ABUTMENTS THE SET42 CAN BE CUSTOMIZED ON THE BASIS OF THE IMPLANTS BRANDS, IMPLANTS DIAMETERS AND CUFF HEIGHTS DESIRED. PLEASE INDICATE, IN THE ORDER, THE QUANTITY AND THE ABOVE SPECIFICATIONS FOR EVERY KIND OF ABUTMENT. (Tools not included in the set)



Ref. BE42

• 1 EMPTY BOX FOR ASSORTED OT EQUATOR ABUTMENTS

## ABUTMENTS FOR FIXED PROSTHESIS



**Ref. MTSEG** 

Ø 3.5 mm

Ref. MT40SEG

Ø4mm

Ref. MT50SEG

Ø5mm

#### **EXTRAGRADE TITANIUM ABUTMENT**

#### **SET CONTENT**

- EXTRAGRADE TITANIUM ABUTMENT TO BE CEMENTED h9,5mm TITANIUM SCREW h2mm
- WHITE SEEGERS WITH HANDLE PINK SEEGER WITH HANDLE



**Ref. MMSEG** 

Ø3.5 mm

Ref. MM40SEG

#### MINI EXTRAGRADE TITANIUM ABUTMENT

#### SET CONTENT

- MINI EXTRAGRADE TITANIUM ABUTMENT TO BE CEMENTED h5,7mm
- TITANIUM SCREW FOR MINI EXTRAGRADE TITANIUM ABUTMENT
- WHITE SEEGERS WITH HANDLE PINK SEEGER WITH HANDLE



**Ref. MTSFEG** 

Ø 3.5 mm

Ref. MTEG15SF

#### **EXTRAGRADE TITANIUM ABUTMENT INCLINED AT 15°**

## **SET CONTENT**

- EXTRAGRADE TITANIUM ABUTMENT INCLINED AT 15° TO BE CEMENTED
- WHITE SEEGERS WITH HANDLE
- PINK SEEGER WITH HANDLE SPHERICAL TITANIUM SCREW FOR 15° INCLINED ABUTMENT

## ABUTMENTS FOR FIXED PROSTHESIS



Ref. CMEG40C

#### **EXTRAGRADE CASTABLE ABUTMENT**

#### **SET CONTENT**

- EXTRAGRADE CASTABLE ABUTMENT WITH HOLE TITANIUM SCREW h2 mm
- WHITE SEEGERS WITH HANDLE PINK SEEGER WITH HANDLE



Ref. MCEG15SF

## **EXTRAGRADE CASTABLE ABUTMENT WITHOUT HOLE**

#### SET CONTENT

- EXTRAGRADE CASTABLE ABUTMENT WITHOUT HOLE (ONLY AVAILABLE WITH Ø4mm)
- 2 WHITE SEEGERS WITH HANDLE
- PINK SEEGER WITH HANDLE



**Ref. CMTFP** 

h 1.8 mm

Ref. CMTB30FP

h3mm

TITANIUM ABUTMENT WITH LATERAL HOLES FOR TEMPORARY RESIN BRIDGE WITH WIRE-REINFORCEMENT

#### SET CONTENT

- TITANIUM ABUTMENT WITH LATERAL HOLES (ONLY AVAILABLE WITH Ø 3,5mm)
- TITANIUM SCREW h2 mm WHITE SEEGERS WITH HANDLE
- PINK SEEGER WITH HANDLE



Ref. MT40GL

#### TITANIUM ABUTMENT FOR ENDORAL WELDING

#### **SET CONTENT**

- TITANIUM NORMAL ABUTMENT FOR INTRA ORAL WELDING h9,5 mm Ø4mm TITANIUM SCREW h2 mm
- WHITE SEEGERS WITH HANDLE
- PINK SEEGER WITH HANDLE

## **HEALING ABUTMENTS**



Ref. 159VAG

#### SCREW AND HEALING RING

#### **SET CONTENT**

- TITANIUM SCREW
- TITANIUM HEALING RING

**Ref. 159EAG** 

#### OT EQUATOR AND HEALING RING

- SET CONTENT
  1 TITANIUM + TIN OT Equator SCREW FOR HEALING RING
- TITANIUM HEALING RING



Ref. 159VEA

Titanium + TiN OT Equator screw (for self-extracting peek ring or titanium self-extracting healing ring)

## IMPRESSION COPINGS



Ref. 144TLE

• 1 TITANIUM OT Equator LONG IMPRESSION COPING + TITANIUM LONG SCREW h11,5mm



Ref. 144TTE

• 1 TITANIUM OT Equator IMPRESSION COPING + TITANIUM SCREW h6 mm



Ref. 144MTE

• 2 OT Equator IMPRESSION COPINGS FOR INDIVIDUAL TRAY



Ref. TPM2

• 2 MINI OT Equator IMPRESSION COPINGS h3,7mm

## LABORATORY ANALOGS



Ref. 144AE

• 2 LABORATORY ANALOGS ø 4mm

Ref. AI502

• 2 LABORATORY ANALOGS ø 5mm



Ref. 144AVC4

- 1 LABORATORY ANALOG WITH SCREW FOR CAD/CAM ø 4mm
- 1 LABORATORY ANALOG WITH SCREW FOR CAD/CAM ø 5mm

## **OT EQUATOR SCAN ABUTMENT**



Ref. 145SAE

• 1 OT Equator TITANIUM SCAN ABUTMENT + TITANIUM SCREW

## **SCREWS**



Ref. 147VME

• 1 TITANIUM SCREW FOR EXTRAGRADE ABUTMENT (for screwdriver/stem for inclined Channel)

Ref. 146VMI

• 1 SPHERICAL TITANIUM SCREW FOR INCLINED ABUTMENT (for screwdriver/stem for inclined Channel)

•

Ref. 148VCM

 1 TITANIUM SCREW FOR MINI EXTRAGRADE ABUTMENT (for screwdriver/stem for inclined Channel)

4

Ref. VC

• 1 TITANIUM SCREW FOR EXTRAGRADE ABUTMENT h2mm

Ref. VM

- •1 TITANIUM SCREW FOR EXTRAGRADE ABUTMENT h6mm
- Ref. VXL
- 1 TITANIUM SCREW FOR EXTRAGRADE ABUTMENT h11,5mm

## **TOOLS**



Ref. 774CHE Ref. 775CLE\*

(\*Long version)

 SQUARE SCREW DRIVER + HOLDER for tightening OT Equator (SQUARE TIP 1.25MM) (USABLE WITH THE MANUAL TORQUE WRENCH)



Ref. 774HC

• 1 INTERCHANGEABLE HOLDER



Ref. 760CSC


Ref. 760CS\*

(\*Long version)

1 SCREWDRIVER/STEM FOR ANGULATED CHANNEL FOR TORQUE CONTROLLER CONTRA ANGLE (SQUARE 1.25MM) AND ADAPTER FOR MANUAL TORQUE WRENCH

# **FIXED PROSTHESIS OT BRIDGE**

## TOOLS •



## **MEDICAL STEEL T-BAR**



Ref. G80A • 4 MEDICAL STEEL JOINTS

Ref. T20A • 4 MEDICAL STEEL CYLINDERS

Ref. T20Ai • 4 MEDICAL STEEL RETENTIVE CYLINDERS

## TITANIUM T-BAR •



Ref. G80T .4 TITANIUM JOINTS

Ref. T20T · 4 TITANIUM CYLINDERS

Ref. T20Ti · 4 TITANIUM RETENTIVE CYLINDERS

## **TOOLS T-BAR**



Ref. T-APLUS • 2 T-BAR ADAPTERS

## SPARE PARTS ———

1	Ref. RMTSFEG	• 1 EXTRAGRADE TITANIUM ABUTMENT INCLINED AT 15° Ø 3,5mm	
	Ref. RMTEG15SF	• 1 EXTRAGRADE TITANIUM ABUTMENT INCLINED AT15° Ø 4mm	
<u>a</u>	Ref. RMTSEG	- 1 EXTRAGRADE TITANIUM ABUTMENT Ø 3,5mm	
	Ref. RMT40SEG	• 1 EXTRAGRADE TITANIUM ABUTMENT Ø 4mm	
	Ref. RMT50SEG	•1 EXTRAGRADE TITANIUM ABUTMENTØ5mm	
Œ.	Ref. RMMSEG	• 1 MINI EXTRAGRADE TITANIUM ABUTMENT Ø 3mm	
	Ref. RMM40SEG	• 1 MINI EXTRAGRADE TITANIUM ABUTMENT Ø4mm	
	Ref. GCMR	• 1 CASTABLE SLEEVE FOR INCLINED TITANIUM ABUTMENT WITHOUT HOLE Ø 3,5mm	
60	Ref. GCMR4	• 1 CASTABLE SLEEVE FOR INCLINED TITANIUM ABUTMENT WITHOUT HOLE Ø 4mm	
	Ref. GC	• 1 CASTABLE SLEEVE FOR TITANIUM ABUTMENT Ø 3,5mm	
P.	Ref. GC4	-1 CASTABLE SLEEVE FOR TITANIUM ABUTMENT Ø4mm	
0	Ref. GC5	• 1 CASTABLE SLEEVE FOR TITANIUM ABUTMENT Ø 5mm	
		,	
	Ref. GMM	• 1 CASTABLE SLEEVE FOR MINI TITANIUM ABUTMENT Ø 3,5mm	
	Ref. GMM4	• 1 CASTABLE SLEEVE FOR MINI TITANIUM ABUTMENT Ø 4mm	
Eb.	Ref. MTFP	- 1 TITANIUM ABUTMENT WITH LATERAL HOLES FOR TEMPORARY RESIN BRIDGE WITH WIRE-REINFORCEMENT h 1,8 mm (ONLY AVAILABLE WITH Ø 3,5 mm)	
	Ref. MTB30FP	1 TITANIUM ABUTMENT WITH LATERAL HOLES FOR TEMPORARY RESIN BRIDGE WITH WIRE-REINFORCEMENT h3 mm (ONLY AVAILABLE WITH 03.5 mm)	
		WITH WILL TERM CICEMENT IS THE COLUMN COLUMN TO SERVICE WITH BESTIMING	
	Ref. HR800	• 1 TITANIUM WIRE WITHOUT ELASTIC MEMORY Ø 1,0mm	
	Ref. MEG40C	• 1 EXTRAGRADE CASTABLE ABUTMENT Ø 4mm	
		1 EVEDACDADE CACTADIE ADUITMENT WITHOUT HOLE	
	Ref. RMCEG15SF	• 1 EXTRAGRADE CASTABLE ABUTMENT WITHOUT HOLE (ONLY AVAILABLE WITH Ø 4,0mm)	
?	Ref. SM6	• 6 WHITE SEEGERS WITH HANDLE (STANDARD RETENTION)	
	Nei. SWO		
	Ref. SRM6	• 6 PINK SEEGER WITH HANDLE (SOFT RETENTION)	
	Ref. 022RGO	• 3 CASTABLE CONNECTION BAR	
	Ref. FSS	• 1 BUR FOR SEEGER HOUSING POLISHING	
	11011133	J	
13	Ref. OC	• 1 OT CEM (COMPOSITE CEMENT: 1 Two-component syringe , 10 AUTOMIX TIPS)	
111			
777	Ref. TOC	• 10 AUTOMIX TIPS	
2 2 2			

**Ref. 130** 

## OT EQUATOR FOR IMPLANTS =



## **OT EQUATOR FOR IMPLANTS SET**

#### SET CONTENT

- OT EQUATOR TITANIUM + TIN ABUTMENT
- STAINLESS STEEL HOUSING PROTECTIVE DISK
- RETENTIVE CAPS
  - (1 EXTRA-SOFT, 1 SOFT, 1 STANDARD, 1 STRONG)



#### OT EQUATOR AND SMARTBOX FOR IMPLANTS SET

#### **SET CONTENT**

- OT EQUATOR TITANIUM + TIN ABUTMENT
- ANODIZED SMART BOX HOUSING WITH BLACK POSITIONING CAP
- PINK PROTECTIVE DISK
  - (1 EXTRA-SOFT, 1 SOFT, 1 STANDARD, 1 STRONG)



**Ref. 030** 

Ref. 131

OT EQUATOR TITANIUM + TIN ABUTMENT

THE OT EQUATOR ATTACHMENTS ARE AVAILABLE FOR THE MAJOR IMPLANT BRANDS. UPON REQUEST WE CAN CUSTOMIZE THEM FOR ANY KIND OF IMPLANTS. WHEN ORDERING INDICATE: IMPLANT, DIAMETER AND CUFF HEIGHT. CUFF AVAILABLE TO 7mm.

## OT EQUATOR FOR BARS -



#### OT EQUATOR THREADED SLEEVE SYSTEM SET FOR BONDING

#### SET CONTENT

- EQUATOR THREADED for titanium sleeve (1.6 mm THREAD)
- THREADED SLEEVES (1.6 mm THREAD) STAINLESS STEEL HOUSINGS • 2
- OT EQUATOR SPACERS RETENTIVE CAPS
- - (2 EXTRA-SOFT, 2 SOFT, 2 STANDARD, 2 PROCESSING)

## **ELASTIC SEEGER** PASSIVE BAR CONNECTIONS SYSTEM



Ref. 158ESA

**Ref. 160EQB** 

#### **ELASTIC SEEGER SET**

- **SET CONTENT**
- CASTABLE CYLINDER FOR SEEGER
- SELF-EXTRACTING SEEGER TITANIUM SCREW FOR SELF-EXTRACTING SEEGER

## CAPS ASSORTMENT SET



**Ref. 192ECE** 

#### **CAPS ASSORTMENT SET** SET CONTENT

- STAINLESS STEEL HOUSING
- RETENTIVE CAPS (1 EXTRA-SOFT, 1 SOFT, 1 STANDARD, 1 STRONG)
- PROTECTIVE DISK

## **SMART BOX SET** SELF-ALIGNING OT EQUATOR HOUSING



Ref. 335SBC

### **SMART BOX SET**



- SET CONTENT SMART BOX HOUSING WITH BLACK POSITIONING CAP
- PINK PROTECTIVE DISK
- RETENTIVE CAPS (1 EXTRA-SOFT, 1 SOFT, 1 STANDARD, 1 STRONG)

## OT EQUATOR CASTABLE —



Ref. 092ECQ

## **OT EQUATOR CASTABLE SET**

#### **SET CONTENT**

- SINGLE MALES STAINLESS STEEL HOUSINGS
- RETENTIVE CAPS (2 SOFT, 2 STANDARD)

## **SPARE PARTS OT EQUATOR** —

	Ref. 140CEV	•4	RETENTIVE CAPS - VIOLET "STRONG" 2700g	
	Ref. 140CET	• 4	RETENTIVE CAPS - CLEAR "STANDARD" 1800g	
	Ref. 140CER	•4	RETENTIVE CAPS - PINK "SOFT" 1200g	
	Ref. 140CEG	•4	RETENTIVE CAPS - YELLOW (EXTRA-SOFT 600g)	
	Ref. 140CEN	• 4	PROCESSING CAPS - BLACK (FOR LABORATORY USE ONLY)	
	Ref. 140CEDR8	• 4	RETENTIVE CAPS - AQUA CAPS UNDERSIZED INTERNAL DIAMETER 2,2mm (STRONG 1300G)	
	Ref. 140CEADR8	• 4	RETENTIVE CAPS - ORANGE UNDERSIZED INTERNAL DIAMETER 2,2mm (VERY ELASTIC 350G)	
	Ref. 141CAE	• 2	STAINLESS STEEL HOUSINGS	
	Ref. 141CTE	• 2	TITANIUM HOUSINGS FUCHSIA ANODIZED	
	Ref. 330SBE	• 1	SMART BOX HOUSING (WITH BLACK POSITIONING CAP)	
	Ref. 335CSB	• 4	BLACK SMARTBOX (POSITIONING CAPS)	
<b>=</b>	Ref. 039SFE2	• 1	OT EQUATOR THREADED 2mm (DIRECT INTO 2mm THREAD)	
	Ref. 339SFE	• 1	EQUATOR THREADED 1.6mm (FOR TITANIUM SLEEVE)	
	Ref. 239GSF	• 1	TITANIUM SLEEVE (1.6mm THREAD)	
	Ref. 339SSE	• 1	OT EQUATOR SPACER	
	Ref. 159VEA	•1	OT EQUATOR SEEGER (FOR SELF-EXTRACTING PEEK RING OR TITANIUM HEALING RING)	
9	Ref. 158VAE	• 1	TITANIUM SCREW FOR SELF-EXTRACTING SEEGER	
T	Ref. 158SAE	• 1	SELF-EXTRACTING WHITE SEEGER (FOR BAR LOCKING)	
	Ref. 158CCE	•1	CASTABLE CYLINDER height 2,5mm (FOR SEEGER)	
	Ref. 158CCAE	•1	HIGH CASTABLE CYLINDER height 3,5mm (FOR SEEGER)	
3	Ref. 151SS	• 2	CASTABLE MALES OT EQUATOR	

## **ACCESSORIES OT EQUATOR**



Ref. 144TLE • 1 OT EQUATOR TITANIUM TRANSFER + TITANIUM SCREW




Ref. 144TTE • 1 OT EQUATOR TITANIUM TRANSFER + TITANIUM SCREW



Ref. 144MTE • 2 IMPRESSION COPINGS (FOR INDIVIDUAL TRAY)



IMPRESSION COPINGS NORMAL SIZE - OT EQUATOR Ref. 044CAIN





Ref. 144AE • 2 LABORATORY ANALOGS ø 4mm

• 2 LABORATORY ANALOGS ø 5mm **Ref. AI502** 



• 1 LABORATORY ANALOG WITH TITANIUM SCREW FOR CAD/CAM ø4mm **Ref. 144AVC4** 

**Ref. 144AVC5** LABORATORY ANALOG WITH TITANIUM SCREW FOR CAD/CAM ø5mm



Ref. 161SCME OT EQUATOR SPACERS FOR HOUSING

## **EQUATOR TOOLS**



Ref. 74AC01 PARALLELOMETER KEY "NORMAL SIZE"



OT FOUATOR SOLIARE SCREW DRIVER + HOLDER Ref. 774CHE (SQUARE 1.25MM) (USABLE WITH RATCHET TORQUE CONTROL DEVICE)



**Ref. 774HC** OT EQUATOR INTERCHANGEABLE HOLDER



SQUARE DRIVER CONNECTOR FOR TORQUE **Ref. 760CE** 

CONTROLLER CONTRA ANGLE (SQUARE 1.25mm)

**Ref. 485IC** 

MULTIUSE CAPS INSERTER/EXTRACTOR TOOL • 1



**Ref. 185SIS** METAL INSERTION TOOL FOR SEEGER USE TOGETHER WITH 491EC

MULTIUSE EXTRACTOR TOOL FOR CAPS **Ref. 491EC** (WITH HOLE STEM HOLDER)

RATCHET TOROUE CONTROL DEVICE (FOR OT EOUATOR, SPHERO BLOCK Ref. 760CRD-US AND FLEX 15/35NCM STRENGHT - MAX 50NCM TORQUE , SUGGESTED 25NCM)

## SINGLE THREADED SPHERES WITH THREADED SLEEVE TO BE BONDED NORMAL - MICRO



## **SET SINGLE THREADED SPHERE NORMAL SIZE + TIN** WITH SLEEVE TO BE BONDED SET CONTENT

TITANIUM NORMAL SINGLE THREADED SPHERE • 2 (HEX 1,3mm THREAD 1,6mm)

- TITANIUM BOND-IN THREADED SI FEVE
- S/STEEL SPACER for the THREADED SLEEVE (NORMAL sphere)

# Ref. 139KSFM

#### **SET SINGLE THREADED SPHERE MICRO SIZE + TIN** WITH SLEEVE TO BE BONDED

#### **SET CONTENT**

- TITANIUM MICRO SINGLE THREADED SPHERE (HEX 0,9mm THREAD 1,6mm)
- TITANIUM BOND-IN THREADED SLEEVE
- S/STEEL SPACER for the THREADED SLEEVE (MICRO sphere)

## **SPARE PARTS**



Ref. 239SFN

Ref. 139KSFN

SINGLE THREADED SPHERE NORMAL SIZE + TiN FOR THREADED SLEEVE HEX 1,3mm THREAD 1,6mm



Ref. 239SFM



Ref. 239GSF

SINGLE THREADED SPHERE MICRO SIZE + TIN FOR THREADED SLEEVE HEX 0,9mm THREAD 1,6mm



TITANIUM BOND-IN THREADED SLEEVE FOR NORMAL AND MICRO - 1,6mm



**Ref. 239SSN** 

• 1 STAINLESS STEEL SPACER FOR THREADED SLEEVE (NORMAL sphere)



**Ref. 239SSM** 

• 1 STAINLESS STEEL SPACER FOR THREADED SLEEVE (Micro sphere)



**Ref. 039SFN2** 

SINGLE THREADED SPHERE NORMAL SIZE + TIN HEX 1.3mm THREAD 2mm



**Ref. 039SFM2** 

SINGLE THREADED SPHERE MICRO SIZE + TIN HEX 0,9mm THREAD 2mm



Ref. 760CBR

HEX DRIVER FOR THREADED SPHERE NORMAL HEX 1,27mm



**Ref. 772CSF** 

HEX DRIVER FOR THREADED SPHERE MICRO HEX 0,9mm

## **OT CAP** IMPRESSION COPINGS



Ref. 044CAIN

IMPRESSION COPINGS NORMAL SIZE Ø2,5mm WITH INTERCHANGEABLE CAP



Ref. 044CAI22

IMPRESSION COPINGS • 2 Ø2,25mm SPHERES WITH INTERCHANGEABLE CAP



Ref. 044CAIM

• 2 IMPRESSION COPINGS MICRO SIZE Ø1,8mm WITH INTERCHANGEABLE CAP

## IMPLANTOLOGY TITANIUM ATTACHMENTS FOR OVERDENTURE —

SPHERO FLEX - SPHERO BLOCK

**Ref. 109** 



#### **SPHERO FLEX TIN COATED**

#### **SET CONTENT**

- TITANIUM ABUTMENT WITH SWIVEL SPHERE
- (SPHERE Ø 2,5mm) CAPS (Yellow Pink Clear) STAINLESS STEEL HOUSING
- 1
- PROTECTIVE DISK DIRECTIONAL RINGS

**Ref. 002** 



## **SPHERO BLOCK NORMAL TIN COATED**

#### SET CONTENT

- TITANIUM ABUTMENT
- (SPHERE Ø 2,5 mm) CAPS (Yellow Pink Clear)
- STAINLESS STEEL HOUSING PROTECTIVE DISK
- DIRECTIONAL RINGS

**Ref. 003** 



## **SPHERO BLOCK MICRO TIN COATED**

#### **SET CONTENT**

- TITANIUM ABUTMENT (SPHERE Ø 1,8mm)
- CAPS (Yellow Pink Clear) STAINLESS STEEL HOUSING PROTECTIVE DISK • 3
- DIRECTIONAL RINGS

THE SPHERO FLEX, SPHERO BLOCK ATTACHMENTS ARE AVAILABLE FOR THE MAJOR IMPLANT BRANDS.UPON REQUEST WE CAN CUSTOMIZE THEM FOR ANY KIND OF IMPLANTS. WHEN (B.D.G) mm ORDERING, PLEASE ALWAYS INDICATE: IMPLANT BRAND, IMPLANT DIAMETER AND CUFF HEIGHT. FOR SPHERO FLEX ABUTMENT CUFF AVAILABLE FROM 0,5 TO 7mm.



## **CUFF HEIGHT MEASURER**

THIS TOOL IS USED TO DETERMINE THE **CUFF HEIGHT OF IMPLANTS WITH** INTERNAL OR EXTERNAL HEXAGON

Ref. 008MBG




#### SET CONTENT

- CUFF HEIGHT SLIDER GA
- CUFF HEIGHT FIXED RO SILICON RING DISPENSE
- SILICON RINGS



## TOOLS SPHERO FLEX - SPHERO BLOCK



**ELASTIC DOWEL** 

## ANTI-UNSCREWING SYSTEM WITH AN ELASTIC DOWEL APPLICABLE TO

SPHERO FLEX-BLOCK - OT REVERSE AND DIFFERENT SCREWS. THE ELASTIC DOWEL IS APPLICABLE ONLY UPON REQUEST TO ALL SCREWS WITH A NOT INFERIOR M. 1.8 to screws - Sphero Flex - Sphero Block - OT Reverse attachments, etc.

> Extra charge for the dowel application



## ATTACHMENTS OT CAP & OT BOX - OT STRATEGY - OT BAR OT VERTICAL - OT TECNO - TITANIUM SINGLE SPHERE

MASTER STARTER SET FOR LABORATORY



#### SET CONTENT

#### OT CAP - OT BOX SYSTEM:

- 16 castable assorted pivots (NORMAL and micro size)
- castable spheres (NORMAL and micro size) titanium single spheres (NORMAL and micro size)
- + sphere holder + 2 sliding base castable OT CAP bars (NORMAL and micro size) complete castable OT CAP TECNO bars (NORMAL and micro size)
- castable OT BOX CLASSIC bars (upper + lower part) NORMAL and micro size
- castable OT BOX SPECIAL bars ( NORMAL and micro size) castable OT BOX connectors
- castable OT BOX MONO housings (NORMAL and micro size)
- plastic positioner rings (NORMAL and micro size)
- OT CAP retentive caps (NORMAL and micro size) Clear- standard retention - PINK soft retention YELLOW extra soft retention - GREEN very elastic retention
- TITAN CAP titanium caps (NORMAL and micro size)
  BLACK CAPS- only for lab use (NORMAL and micro size)
- S/STEEL housings • 8
- ANALOGUES for plaster models (NORMAL and micro size)
- protective disks
- aluminium spacers (NORMAL and micro size)

#### OT STRATEGY:

- castable spheres (2 standard and 2 high)
- castable STEADY
- retentive caps: 2 clear 2 pink 2 yellow for housing
- black caps for housing only for lab use
- s/steel housings
- plastic positioner rings
- retentive caps for duplication technique: CLEAR - standard retention - PINK soft retention YELLOW extra soft retention
- black caps for duplication technique only for lab use
- ANALOGUES for plaster models

#### **OT BAR MULTIUSE:**

- castable bar • 2
- gingival connector
- positioner clip A
- positioner clip B
- castable housings
- clips 2 PINK soft retention 2 YELLOW medium retention

Ref. 005SKLUS

### OT VERTICAL:

- castable male • 2
- castable STEADY
- 4 clips - 2 WHITE- standard retention - 2 GREEN soft retention
- castable parallelometer keys
- ceramic bars

#### TOOLS:

- Pincers 2 Reamer tools for caps (NORMAL and micro size)
  Reamer tools for OT STRATEGY caps
  Parallelometer keys for OT CAP (NORMAL and micro size)
  Parallelometer key for OT STRATEGY size
  Parallelometer keys for OT CAP TECNO (NORMAL and micro size)
  Parallelometer keys for OT BAR MULTIUSE
  Blue Plastic "multiuse" insertion tool • 2

- (for steel tool and for inserting the caps in the mouth)
- OT CAP insertion tool OT STRATEGY insertion tool
- OT BAR clips insertion tool
- OT VERTICAL clips insertion tool

## ATTACHMENTS OT CAP & OT BOX - OT STRATEGY- OT BAR OT VERTICAL - OT UNILATERAL - OT EQUATOR

**BASIC LABORATORY SET** 



## OT CAP - OT BOX SYSTEM:

- 16 castable assorted pivots (NORMAL and micro size)
- castable spheres NORMAL/micro
- castable OT CAP bars (NORMAL and micro size) castable OT BOX CLASSIC bars ( upper + lower part) NORMAL and micro size castable OT BOX SPECIAL bars ( NORMAL and micro size)
- castable OT BOX connectors
- castable OT BOX MONO housings (NORMAL and micro size)
- plastic positioner rings (NORMAL and micro size)
- OT CAP assorted retentive caps (NORMAL and micro size) PINK soft retention - YELLOW extra soft retention
- 13 BLACK CAPS- only for lab use (NORMAL and micro size)
  4 S/STEEL housings (NORMAL and micro size)

- castable spheres (2 standard and 2 high) castable STEADY
- pink retentive caps
- s/steel housings
- plastic positioner rings
- retentive caps for duplication technique: PINK soft retention YELLOW extra soft retention
- 4 black caps for duplication technique only for lab use

#### **OT EQUATOR:**

- single males
- stainless steel housings
- retentive caps (2 soft, 2 standard)
- processing black caps

#### **OT UNILATERAL:**

- unilateral castable attachment
- uni-box castable
- plastic positioner micro size
- ot cap micro size: 1 pink 1 black processing cap
- ot strategy (for duplication technique): 1 yellow 1 black processing cap
- connector

#### **OT BAR MULTIUSE:**

- castable bar
- gengival connector
- positioner clip (A B)

## OT VERTICAL:

Ref. 005SKLBUS

- castable male
- castable STEADY
- clips 2 WHITE- standard retention 2 GREEN soft retention

clips - 2 PINK - soft retention - 2 YELLOW medium retention

- castable parallelometer keys
- ceramic bars

#### TOOLS:

- Tweezer
- Parallelometer keys for OT CAP NORMAL
- Parallelometer keys for OT CAP micro
- Parallelometer key for OT STRATEGY
- Parallelometer key for OT BAR MULTIUSE
- . 1 Blue Plastic "multiuse" insertion tool (for steel tool and for inserting the caps in the mouth)
- 1 OT CAP insertion tool
- OT STRATEGY insertion tool • 1
- OT BAR clips insertion tool
- OT VERTICAL clips insertion tool

## OT CAP AND OT BOX ATTACHMENTS •



NORMAL

MICRO

MICRO

Ref. 092CAN

**OT CAP NORMAL/MICRO** SET CONTENT

CASTABLE SINGLE SPHERES

PINK RETENTIVE CAPS STAINLESS STEEL HOUSINGS

Ref. 092CAM

PLASTIC POSITIONERS



NORMAL

**Ref. 196BCN** 

Ref 197BCM

OT CAP NORMAL/MICRO "ECONOMIC"

SET CONTENT

CASTABLE PRESECTIONED BAR • 1

CASTABLE PRESECTIONED BEVELED BAR
CLEAR RETENTIVE CAPS (Standard retention)



NORMAL

Ref. 099BSN

OT CAP & OT BOX MONO NORMAL/MICRO **SET CONTENT** 

CASTABLE PRESECTIONED BARS (1 straight + 1 beveled) CLEAR RETENTIVE CAPS

CASTABLE MONO OT BOX

PLASTIC POSITIONERS



NORMAL

Ref. 058BSN

Ref. 099BSM

OT BOX SPECIAL NORMAL/MICRO + CONNECTORS **SET CONTENT** 

MICRO

Ref. 058BSM

OT BOX SPECIAL BARS PLASTIC POSITIONERS • 2 • 4

CONNECTORS



NORMAL

OT BOX CLASSIC NORMAL/MICRO + CONNECTORS

SET CONTENT • 2

MICRO

Ref. 153BCN

LOWER BARS PLASTIC POSITIONERS

Ref. 153BCM • 4

CONNECTORS

OT BOX LARGE OVERSIZED CASTABLE HOUSING FOR CHAIRSIDE POSITIONING OF CAPS



NORMAL

Ref. 253BLN

MICRO

Ref. 253BLM

## OT BOX LARGE NORMAL/MICRO + CONNECTORS

SET CONTENT

OT BOX LARGE BARS PLASTIC POSITIONERS • 2

CONNECTORS

## OT STRATEGY ATTACHMENTS -



**Ref. 098SSS** 

## **OT STRATEGY** CAPS FOR DUPLICATION TECHNIQUE

SET CONTENT

CASTABLE STRATEGY MALES (2 STANDARD - 2 HIGH) CASTABLE STEADY

• 2

RETENTIVE CAPS FOR DUPLICATION TECHNIQUE



Ref. 098CAL

## **OT STRATEGY** CAPS FOR STAINLESS STEEL HOUSING TECHNIQUE

SET CONTENT

CASTABLE STRATEGY MALES (2 STANDARD - 2 HIGH)

RETENTIVE CAPS FOR HOUSING TECHNIQUE (2 SOFT, 2 STANDARD) STAINLESS STEEL HOUSINGS

PLASTIC POSITIONERS

**CASTABLE STEADY** 

## OT BAR MULTIUSE ATTACHMENTS =



**Ref. 0210BM** 

#### **OT BAR MULTIUSE + CONNECTORS**

SET CONTENT
• 2 CASTABLE BARS

POSITIONER CLIP A
POSITIONER CLIP B

. 4 CASTABLE BOXES

RETENTIVE PINK CLIPS • 4

RETENTIVE YELLOW CLIPS RETENTIVE RED CLIPS

CONNECTORS GINGIVAL CONNECTOR

## OT VERTICAL ATTACHMENTS



**Ref. 0710BV** 

#### **OT VERTICAL**

#### **SET CONTENT**

- CASTABLE MALES • 4
- 2
- CASTABLE STEADY
  RETENTIVE WHITE CLIPS
  RETENTIVE GREEN CLIPS
- CASTABLE PARALLELOMETER KEYS + PIN

## **OT UNILATERAL** EXTRA CORONAL ATTACHMENTS WITH COMBINED FUNCTION

#### Ref. 098UNL

## **OT UNILATERAL + CONNECTOR**

#### **SET CONTENT**

- UNILATERAL CASTABLE ATTACHMENT UNI-BOX CASTABLE
- PLASTIC POSITIONER MICRO SIZE PINK CAP MICRO SIZE
- STRATEGY YELLOW CAP (for duplication technique) BLACK CAP MICRO SIZE (for laboratory use only)
- STRATEGY BLACK CAP (for laboratory use only)
- CONNECTOR



Ref. 156BCU

• 1 UNILATERAL CASTABLE ATTACHMENT



**Ref. 156CCU** 

• 1 UNI-BOX CASTABLE

## OT CAP TECNO

#### NORMAL

Ref. 093CTN

#### **OT CAP TECNO NORMAL/MICRO SET CONTENT**

PRE-ANGULATED CASTABLE EXTENSIONS TITANIUM SINGLE THREADED SPHERES

- Ref. 093CTM

- TITANIUM BOND-IN THREADED SLEEVES TRANSPARENT CAPS NORMAL/MICRO



PINK CAPS NORMAL/MICRO YELLOW CAPS NORMAL/MICRO





Ref. 193BCA

• 2 PRE-ANGULATED CASTABLE EXTENSIONS

## **OT LOCK** LOCKING PIN TITANIUM AND CASTABLE



**Ref. 880CLT** 

## **OT LOCK SET TITANIUM**

## **SET CONTENT**

- LOCKING PIN SET
- HOUSING SHAPER CERAMIC PIN



Ref. 880CLR

## **OT LOCK SET TITANIUM ADJUSTABLE**

#### **SET CONTENT**

- LOCKING PIN SET
- HOUSING SHAPER CERAMIC PIN
- CASTABLE SPACER RINGS

## OVERDENTURE ATTACHMENTS =

## S.P.L. PIVOTS - COPING COVER

PROMOTIONAL SET FOR CLINIC



Ref. 011SPL

#### SET CONTENT

- 24 CASTABLE ASSORTED PIVOTS MICRO SIZE
- 40 CASTABLE ASSORTED PIVOTS NORMAL SIZE
- 12 TITANIUM MICRO PIVOTS
- 12 TITANIUM NORMAL PIVOTS
- 16 NORMAL CAPS (Clear standard retention PINK soft retention)
- 16 MICRO CAPS (Clear standard retention PINK soft retention)
- 20 PROTECTIVE DISKS
- 2 REGULATING TOOLS (1 NORMAL and 1 micro size)
- BLUE PLASTIC "MULTIUSE" INSERTION TOOL • 1 (FOR THE INSERTION OF THE CAPS INSIDE THE METAL HOUSINGS)
- 1 OT CAP insertion tool
- 4 NORMAL STAINLESS STEEL HOUSING4 MICRO STAINLESS STEEL HOUSING
- 12 DIRECTIONAL RINGS (grey 0° green 7° red 14°)
- 1 TWEEZER



#### Lengths available: 10 - 9 - 7mm

**Ref. 333PEK7** 

**Ref. 333PEK9** 

Ref. 333PEK10

## OT EQUATOR TITANIUM TIN COATED PIVOTS SET

## **LOW PROFILE HEAD PIVOTS**

SET CONTENT

- TITANIUM OT EQUATOR PIVOTS h7,9 or 10mm (of the same length chosen)
  OT EQUATOR ANODIZED TITANIUM HOUSINGS
  YELLOW EXTRA SOFT CAPS
- 2
- PINK SOFT CAPS CLEAR STANDARD CAPS
- TRANSPARENT PROTECTIVE DISKS

Lengths available: 10 - 9 - 7mm



**Ref. 336PTE7** 

**Ref. 336PTE9** 

Ref. 336PTE10

#### OT EQUATOR TITANIUM TIN COATED PIVOTS LOW PROFILE HEAD PIVOTS SET CONTENT


TITANIUM OT EQUATOR PIVOT h7,9 or 10mm (of the length chosen)



#### **OT EQUATOR CAPS ASSORTMENT SET**

#### **SET CONTENT**

- STAINLESS STEEL HOUSING • 1
- PROCESSING CAP RETENTIVE CAPS (1 EXTRA-SOFT, 1 SOFT, 1 STANDARD, 1 STRONG)
- PROTECTIVE DISK



Ref. 033PSF7R

Ref. 033PSF9R

Ref. 033PSF10R

**PIVOT FLEX TIN COATED** 

TITANIUM PIVOT WITH SWIVEL SPHERE - NORMAL size Adapted for COPING COVER SET CONTENT

- TITANIUM PIVOT WITH SWIVEL SPHERE
- STAINLESS STEEL HOUSING PINK CAPS NORMAL Size Soft retention
- PROTECTIVE DISK • 1
- **DIRECTIONAL RINGS**

Lenghts available:: 10 - 9 - 7mm NORMAL ø2,5 Micro ø1,8

**Ref. 036PTN7** 

**Ref. 036PTN9** 

Ref. 036PTN10

TITANIUM PIVOTS SET NORMAL SIZE

**SET CONTENT** 

TITANIUM PIVOTS (Adapted for COPING COVER) • 5



**Ref. 036PTM7** 

**Ref. 036PTM9** 

Ref. 036PTM10

**TITANIUM PIVOTS SET MICRO SIZE** 

SET CONTENT

TITANIUM PIVOTS (Adapted for COPING COVER)

NORMAL

Ref. 192ACN

MICRO

Ref. 192ACM



# CAPS ASSORTMENT SET OT CAP NORMAL/MICRO SET CONTENT

- STAINLESS STEEL HOUSING
- PROCESSING CAP RETENTIVE CAPS (1 GREEN, 1 YELLOW, 1 PINK, 1 CLEAR)
- PROTECTIVE DISK



**OT REVERSE 3 OVERDENTURE POSTS** FOR ROOTS, AVAILABLE IN ONE STANDARD SIZE

SET CONTENT

- ROOT POSTS IN TITANIUM + TIN RETENTIVE MALE ATTACHMENT TITANIUM + NYLON
- PLASTIC MANUAL TOOLS STAINLESS STEEL HOUSINGS
- PINK PROTECTIVE DISKS

Ø del perno sottosfera: 2,2 2 1,8 1,7 1,4mm



Ref. 010PSP

Ref. 034PRK

**CASTABLE PIVOTS FOR CANAL IMPRESSIONS** 

SET CONTENT 20 CASTABLE PIVOTS NORMAL SIZE

Lenghts available: 14 - 12 - 10 - 9 - 7mm



Ref. 012PSM

CASTABLE PIVOTS FOR CANAL IMPRESSIONS

**SET CONTENT** 

• 20 CASTABLE PIVOTS MICRO SIZE

Lenghts available: 10 - 9 - 7mm



Ref. A01MOG

**MOOSER BUR FOR PIVOTS OF 7 - 9 - 10mm** 



Ref. A03MOB

**MOOSER BUR FOR PIVOTS OF 12 - 14mm** 



**Ref. 121FD** 

**OT REVERSE 3 DIAMOND SHAPED BUR FOR ROOTS** 



Ref. 100AD

**DIRECTIONAL RINGS FOR SPHERO FLEX AND BLOCK** 

COLOURED RINGS WITH INCLINATION OF 0° - 7°

**Ref. 485IC** 

• 1 EXTRACTOR/INSERTER TOOL FOR CAPS OT EQUATOR - NORMAL - MICRO

## SPARE PARTS OT CAP SYSTEM NORMAL Ø 2,5 mm Ref. 055SCN 4 CASTABLE SINGLE SPHERES NORMAL SIZE • 2 CASTABLE PRESECTIONED BEVELED BARS NORMAL SIZE **Ref. 151BAN** • 2 CASTABLE PRESECTIONED BARS NORMAL SIZE Ref. 150BPN SILVER CAPS NORMAL SIZE (EXTRA-RESILIENT) Ref. 048CAN (ELASTIC AND GUMMY) - 350g • 6 GOLD CAPS NORMAL SIZE (EXTRA-RESILIENT) Ref. 048CON (SLIGHTLY ELASTIC) - 500g **GREEN CAPS NORMAL SIZE** Ref. 049PCN (VERY ELASTIC RETENTION) - 350g YELLOW CAPS NORMAL SIZE Ref. 060CRN AY • 6 (EXTRA SOFT RETENTION) - 500g PINK CAPS NORMAL SIZE Ref. 040CRN SN • 6 (SOFT RETENTION) - 900g Ref. 040CRN CLEAR CAPS NORMAL SIZE (STANDARD RETENTION) - 1300g • 2 TITAN CAPS NORMAL SIZE Ref. 040TCN • 6 BLACK CAPS NORMAL SIZE (FOR LABORATORY USE ONLY) Ref. 043CLN ORANGE CAPS NORMAL SIZE (VERY ELASTIC RETENTION) (UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE OR FOR Ø 2.25 SPHERE) - 350g Ref. 049PCNDR8 YELLOW CAPS NORMAL SIZE (EXTRA SOFT RETENTION) (UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE OR FOR Ø 2.25 SPHERE) - 500g Ref. 060CRNAYDR8 PINK CAPS NORMAL SIZE (SOFT RETENTION) Ref.040CRNSNDR8 (UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE OR FOR Ø 2.25 SPHERE) - 900g AQUA CAPS NORMAL SIZE (STRONG RETENTION) (UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE OR FOR Ø 2.25 SPHERE)) - 1300g Ref. 040CRNDR8 MONO OT BOX NORMAL SIZE Ref. 042AMN (CASTABLE HOUSINGS FOR CAPS) Ref. 041CAN 2 STAINLESS STEEL HOUSINGS NORMAL SIZE 2 TITANIUM HOUSINGS NORMAL SIZE Ref. 041CTN • 2 PLASTIC POSITIONERS NORMAL SIZE Ref. 101PPN NORMAL SPHERE ANALOGS Ref. 044PPN • 2

Ref. 100SAN

• 10 MINIUM SPACERS FOR OT BOX BARS NORMAL SIZE

# SPARE PARTS OT CAP SYSTEM MICRO Ø 1,8 mm

	Ref. 055SCM	• 4	CASTABLE SPHERES MICRO SIZE	
Sand Sand	Ref. 151BAM	• 2	CASTABLE PRESECTIONED BEVELED BARS MICRO SIZE	
No.	Ref. 150BPM	• 2	CASTABLE PRESECTIONED BARS MICRO SIZE	
	Ref. 048CAM	• 6	SILVER CAPS MICRO SIZE (EXTRA-RESILIENT) (ELASTIC AND GUMMY) - 200g	
	Ref. 048COM	• 6	GOLD CAPS MICRO SIZE (EXTRA-RESILIENT) (SLIGHTLY ELASTIC) - 450g	
	Ref. 049PCM	•6	GREEN CAPS MICRO SIZE (VERY ELASTIC RETENTION) - 200g	
	Ref. 060CRM AY	• 6	YELLOW CAPS MICRO SIZE (EXTRA SOFT RETENTION) - 450g	
	Ref. 040CRM SN	• 6	PINK CAPS MICRO SIZE (SOFT RETENTION) - 800g	
	Ref. 040CRM	• 6	CLEAR CAPS MICRO SIZE (STANDARD RETENTION) - 1100g	
	Ref. 040TCM	• 2	TITAN CAPS MICRO SIZE	
	Ref. 043CLM	• 6	BLACK CAPS MICRO SIZE (FOR LABORATORY USE ONLY)	
	Ref. 049PCMDR8	• 6	ORANGE CAPS MICRO SIZE (VERY ELASTIC RETENTION) (UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE OR FOR Ø1,6 mm) - 1100g	
	Ref. 040CRMDR8	•6	AQUA CAPS MICRO SIZE (STRONG RETENTION) (UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE OR FOR Ø1,6 mm) - 200g	
6	Ref. 042AMM	• 2	MONO OT BOX MICRO SIZE (CASTABLE HOUSINGS FOR CAPS)	
	Ref. 041CAM	• 2	STAINLESS STEEL HOUSINGS MICRO SIZE	
	Ref. 041CTM	• 2	TITANIUM HOUSINGS MICRO SIZE	
	Ref. 101PPM	• 2	PLASTIC POSITIONERS MICRO SIZE	
1	Ref. 044PPM	• 2	MICRO SPHERE ANALOGS	
5	Ref. 100SAM	• 10	) ALUMINIUM SPACERS FOR OT BOX BARS MICRO SIZE	

## OT CAP ASSORTMENT SET



#### KIT NORMAL

Ref. 074KAN

KIT MICRO

Ref. 074KAM

### SET CONTENT

- 8
- 8
- 6
- CONTENT

  CLEAR CAPS STANDARD RETENTION
  PINK CAPS SOFT RETENTION
  YELLOW CAPS EXTRA SOFT RETENTION
  GREEN CAPS VERY ELASTIC RETENTION
  GOLD CAPS (EXTRA RESILIENT) SLIGHTLY ELASTIC
  SILVER CAPS (EXTRA RESILIENT) ELASTIC AND GUMMY
  LIGHT GREEN CAPS STANDARD (FOR WORN OUT SPHERE)
  ORANGE CAPS ELASTIC (FOR WORN OUT SPHERE)
  BLACK CAPS LABORATORY USE ONLY
  TITAN CAPS

- TITAN CAPS



#### **ASSORTMENT SET NORMAL & MICRO**

#### **SET CONTAINS**

- 4+4 CLEAR CAPS STANDARD RETENTION
   4+4 PINK CAPS SOFT RETENTION
   2+2 YELLOW CAPS EXTRA SOFT RETENTION
   3+3 GREEN CAPS VERY ELASTIC RETENTION
   3+3 GOLD CAPS (EXTRA RESILIENT) SLIGHTLY ELASTIC
- 3+3 SILVER CAPS (EXTRA RESILIENT) ELASTIC AND GUMMY

  2+2 LIGHT GREEN CAPS STANDARD (FOR WORN OUT SPHERE)

  2+2 ORANGE CAPS ELASTIC (FOR WORN OUT SPHERE)

  2+2 BLACK CAPS LABORATORY USE ONLY
- 1+1 TITAN CAPS

## OT CAP ASSORTED RETENTIVE CAPS •

Ref. 074KNM



#### NORMAL

Ref. 064ACN


MICRO

Ref. 064ACM

SET CONTENT

- ON LENI
  GREEN CAPS VERY ELASTIC RETENTION
  YELLOW CAPS EXTRA SOFT RETENTION
  PINK CAPS SOFT RETENTION
  CLEAR CAPS STANDARD RETENTION
- 6
- 6

## OT CAP SYSTEM ATTACHMENTS •



Ref. 038STF

Ref. 038STN

Ref. 038STM

## TITANIUM FLEX SINGLE SPHERE NORMAL SIZE + TIN

FOR LASER SOLDERING - FOR BONDING

- SINGLE TITANIUM FLEX SPHERES PINK CAPS SOFT RETENTION SPHERE HOLDER

- BASI GUIDA CALCINABILI



#### **TITANIUM SINGLE SPHERE NORMAL/MICRO SIZE + TIN**

FOR LASER SOLDERING - FOR BONDING

SET CONTENT

- SINGLE TITANIUM SPHERES • 2
- PINK CAPS SOFT RETENTION SPHERE HOLDER
- CASTABLE SLIDING BASES

# OT CAP NORMAL-MICRO TOOLS -

	Ref. 485IC	• 1 EX	XTRACTOR/INSERTER TOOL FOR CAPS OT EQUATOR - OT CAP NORMAL/MICRO	
N. O.	Ref. 74AC01	• 1 PA	ARALLELOMETER MANDREL NORMAL/OT EQUATOR	
K,	Ref. 74AC02	• 1 PA	ARALLELOMETER MANDREL MICRO	
	Ref. 74AC03		ARALLELOMETER MANDREL TECNO NORMAL AND MICRO SIZE ONLY FOR OT CAP TECNO)	
	Ref. 491EC	• 1 M	IULTIUSE REMOVAL TOOL FOR RETENTIVE CAPS	
	Ref. 008MDS		PHERE MEASURING GAUGE O CHECK THE SPHERICAL ATTACHMENT DIAMETERS: 1,6-1,8-2,2-2,5mm)	
B	Ref. 080RCN	•1 RE	EAMER TOOL FOR OT CAPS - NORMAL SIZE	
A [	Ref. 080RCM	•1 RE	EAMER TOOL FOR OT CAPS - MICRO SIZE	
	Ref. 082ATN	•1 TC	DOL FOR TESTING CAP RETENTION - NORMAL SIZE	
THE	Ref. 083ATM	•1 TC	OOL FOR TESTING CAP RETENTION - MICRO SIZE	

## NORMAL - MICRO ACCESSORIES AND Ø2.2mm —

1000h	Ref. 155CC	• 6	CONNECTORS	
	Ref. 187CRS	• 2	CONCAVE SPHERES AVAILABLE: Ø1.8 - 2.2 - 2.5mm	
	Ref. 187CRE	• 2	CONCAVE OT EQUATOR	
<b>?</b>	Ref. 189SRS	• 2	SOLID SPHERES AVAILABLE: Ø1.8mm	
0	Ref. 100PD	• 10	PROTECTIVE DISKS (internal diameter 1,6mm)	
9	Ref. 100PDR	• 10	PINK PROTECTIVE DISKS (internal diameter 2,9mm)	
NEW	Ref. 161SCMN  MICRO Ref. 161SCMM	• 4	OT CAP NORMAL/MICRO SPACERS FOR HOUSING	
	Ref. 038GCS	• 2	CASTABLE SLIDING BASES	
•	Ref. 044PP22	• 2	MICRO ANALOGS Ø2.2mm	

## OT STRATEGY SPARE PARTS



Ref. 154PCS 4 OT STRATEGY STANDARD MALES



Ref. 054PLS 4 OT STRATEGY HIGH MALES



 2 CASTABLE STEADY **Ref. 154STY** 



STRATEGY YELLOW CAPS FOR DUPLICATION TECHNIQUE Ref. 047CSD AY (EXTRA SOFT RETENTION) - 500g



STRATEGY PINK CAPS FOR DUPLICATION TECHNIQUE Ref. 047CSD SN (SOFT RETENTION) - 900g



STRATEGY CLEAR CAPS FOR DUPLICATION TECHNIQUE Ref. 047CSD (STANDARD RETENTION) - 1300g



STRATEGY BLACK CAPS FOR DUPLICATION TECHNIQUE Ref. 047CLS (FOR LABORATORY USE ONLY)



Ref. 047CSDDR8

AQUA STRATEGY CAPS FOR DUPLICATION TECHNIQUE (UNDERSIZED INTERNAL DIAMETER FOR WORN SPHERE OR 1.7mm SPHERE)



Ref. 045CSM AY

 4 STRATEGY YELLOW CAPS FOR S/STEEL HOUSING (EXTRA SOFT RETENTION) - 500g (TO BE USED ONLY WITH HOUSINGS)



Ref. 045CSM SN

STRATEGY PINK CAPS FOR S/STEEL HOUSING (SOFT RETENTION) - 900g (TO BE USED ONLY WITH HOUSINGS)



Ref. 045CSM

STRATEGY CLEAR CAPS FOR S/STEEL HOUSING (STANDARD RETENTION) -1300g (TO BE USED ONLY WITH HOUSINGS)



Ref. 045CLS

STRATEGY BLACK CAPS FOR S/STEEL HOUSING (FOR LABORATORY USE ONLY)



Ref. 045CSMDR8

AQUA STRATEGY CAPS FOR S/STEEL HOUSING (UNDERSIZED INTERNAL DIAMETER FOR WORN SPHERE OR 1.7mm SPHERE)



Ref. 046CSM

2 STRATEGY STAINLESS STEEL HOUSINGS



**Ref. 1010TS** 

 2 STRATEGY PLASTIC POSITIONERS (FOR SOLDERING STAINLESS STEEL HOUSINGS)



## OT STRATEGY ASSORTMENT CAP SET FOR DUPLICATION TECHNIQUE

#### SET CONTENT

- 4
- YELLOW CAPS EXTRA SOFT RETENTION PINK CAPS SOFT RETENTION CLEAR CAPS STANDARD RETENTION

## OT STRATEGY ASSORTMENT CAP SET FOR S/STEEL HOUSINGS

- 4 YELLOW CAPS EXTRA SOFT RETENTION
  PINK CAPS SOFT RETENTION
  CLEAR CAPS STANDARD RETENTION Ref. 045ACS

Ref. 044PPS • 2 STRATEGY ANALOGS

• 1 INSERTER/EXTRACTOR TOOL FOR STRATEGY CAPS **Ref. 486ICS** 

Ref. 75AC04 • 1 PARALLELOMETER MANDREL FOR STRATEGY CAPS

• 1 REAMER TOOL FOR STRATEGY CAPS Ref. 081RCS


## **OT BAR MULTIUSE SPARE PARTS**

**Ref. 0280CP** 

Ref. 047ACS

• 1 PARALLELOMETER KEY FOR OT BAR MULTIUSE

## OT VERTICAL SPARE PARTS -



## **OT REVERSE 3 SPARE PARTS**

	Ref. 120MR2	•2	RETENTIVE MALES IN TITANIUM + NYLON (COLOR CLEAR/ STANDARD RETENTION)	
	Ref. 041CAM	• 2	S/STEEL HOUSINGS MICRO SIZE	
	Ref. 121AAR	• 2	INOX ROOTS ANALOGS	
Į.	Ref. 121AM	• 2	PLASTIC MANUAL TOOLS	
•	Ref. 121PR	• 2	PLASTIC POSITIONERS FOR DUPLICATION	
9	Ref. 100PDR	• 10	PINK PROTECTIVE DISKS	
	Ref. 124IMR	•1	METAL INSERTING TOOL FOR OT REVERSE/3 MALE	
0	Ref. 72CBR	•1	S/STEEL PARALLELOMETER KEY FOR CASTABLE BAR	
0	Ref. 72CFR	•1	BRASS PARALLELOMETER KEY FORTITANIUM FEMALE	

## **OT LOCK SPARE PARTS**



**Ref. 882CS** 

SLIDING KEY (ONLY FOR TITANIUM - CASTABLE LOCKING PIN)



**Ref. 882AF** 

• 1 FLEXIBLE RING



**Ref. 882CB** 

• 1 LOCKING KEY



Ref. 882CPT

• 1 TITANIUM PREFABRICATED HOUSING (ONLY FOR TITANIUM - TITANIUM ADJUSTABLE LOCKING PIN)



**Ref. 882PPC** 

• 1 CERAMIC PIN



Ref. 882CLSCT

• 1 ADJUSTABLE SLIDING KEY (ONLY FOR TITANIUM ADJUSTABLE LOCKING PIN)



**Ref. 882DCC** 

CASTABLE SPACER RINGS (ONLY FOR TITANIUM ADJUSTABLE LOCKING PIN)

## **OT LOCK ACCESSORIES**



**Ref. 882CG** 

•1 CONICAL GUIDE



**Ref. 882CAS** 

• 1 UNLOCKING TOOL

## SPHERE REPAIR SETS



Ø AVAILABLE: 1,8 - 2,2 - 2,5

**CONCAVE REPAIR SPHERE** 

SET CONTENT

· 2 CONCAVE SPHERES IN TITANIUM - TIN COATED Ref. 087CRS

PINK CAPS SOFT RETENTION INSERTING TOOL

GAUGE AND STRIP HOLDER



Ref. 087CRE

### **CONCAVE REPAIR OT EQUATOR**

### **SET CONTENT**

CONCAVE OT EQUATOR IN TITANIUM - TIN COATED PINK CAPS SOFT RETENTION INSERTING TOOL

• 2 • 2

GAUGE AND STRIP HOLDER



**Ref. 089SRS** 

### **SOLID REPAIR SPHERE**

## **SET CONTENT**

SOLID SPHERES 1.8mm IN TITANIUM - TIN COATED • 2 • 2

PINK CAPS SOFT RETENTION PROTECTIVE DISKS

KEY

## **DENTURE BOXES** -



Ref. 0P6

## **SET CONTENT**

• 6 ASSORTED BOXES, COLOURS: BLUE - LIGHT BLUE - WHITE



**Ref. 100AS** 

• 30 SILICONE RINGS

## **SMALL PARALLELOMETER**



Ref. 00PB

1 SMALL PARALLELOMETER DEVICE WITH MODEL HOLDER BASE (FOR COURSES, ETC.)

## OT LEVER -

**UNIVERSAL LEVER** 



2 **OT LEVER** FOR REMOVAL OF PROSTHESES AND ALIGNERS



## OT CEM -

#### **COMPOSITE CEMENT**



Ref. OC

## **SET CONTENT**

- TWO-COMPONENT SYRINGE 5ml
- •10 AUTOMIX TIPS



**Ref. TOC** 

• 10 AUTOMIX TIPS

## **BROKEN SCREW EXTRACTOR KIT**

**BROKEN SCREW EXTRACTOR SETS ARE** MANUFACTURED FOR MOST IMPLANT BRANDS





Ref. 680

## **SET CONTENT**

- CLAW REAMER BUR REVERSE CUTTING BUR MANUAL EXTRACTOR CENTERING DEVICE

**Ref. 680FS** 

**REVERSE CUTTING BUR** • 1

Ref. 680FA\*

**CLAW REAMER BUR** 

\*Specify type of implant and diameter

THE BROKEN SCREW EXTRACTOR SET MAY HAVE SPACE PROBLEMS IN THE REAR SECTION, WHICH COULD AFFECT IT'S PERFORMANCE. IT'S IMPORTANT TO ANALYZE THE SITUATION BEFORE USING THE SET.

Please contact us for any inquiries or information.

# Location:

via G.Mazzini, 2 – 23845 Costa Masnaga LC, Italia.

# Administration:

Tel. +39 031 879344 amministrazione@vickygrem.com Viria Lasorella

# Commercial:

+39 393.9167985 info@vickygrem.com Emanuela Grossi